

**Table F.4 — Wrought Aluminium Products (ASTM E 140-97, Table 9)**  
 锻铝制品硬度换算表

HBS10/500	HV15	Rockwell Hardness Number							
		HRB	HRE	HRH	HR15T	HR30T	HR15W		
160	189	91	...	...	89	77	95		
155	183	90	...	...	89	76	95		
150	177	89	...	...	89	75	94		
145	171	87	...	...	88	74	94		
140	165	86	...	...	88	73	94		
135	159	84	...	...	87	71	93		
130	153	81	...	...	87	...	...		
125	147	79	...	...	86	68	92		
120	141	76	...	...	86	67	92		
115	135	72	...	...	86	65	91		
110	129	69	...	...	85	63	91		
105	123	65	...	...	84	61	91		
100	117	60	98	...	83	59	90		
95	111	56	96	...	82	57	90		
90	105	51	94	...	81	54	89		
85	98	46	91	...	80	52	89		
80	92	40	88	...	78	50	88		
75	86	34	84	...	76	47	87		
70	80	28	80	...	74	44	86		
65	74	...	75	...	72	...	85		
60	68	...	70	...	70	...	83		
55	62	...	65	...	67	...	82		
50	56	...	59	...	64	...	80		
45	50	...	53	...	62	...	79		
40	44	...	46	...	59	...	77		